

ATHLETICS DATA CENTER

SKL – ADC – V1









- It is used in athletics races.
- It collects data from athletics gates.
- It controls numeric and graphics scoreboards.
- It communicates instant data with the computer.
- It provides wired or wireless communication with all equipments.
- It is charged full between 1 to 1.5 hours.
- The charging status can be monitored instantly.



TECHNICAL PARAMETERS		
Height	45 mm	
Width	250 mm	
Thickness	126 mm	
Weight	0.4 kg	
Average Power Consumption	1.8 W	
Maximum Power Consumption	2.5 W	
Operating Voltage	16.8V	
Operating Temperature	(-40°C) – (+55°C)	
Discharge Duration	1 day	
Protection Class	IP54	
Type Of Material	Al	
Guarantee Duration	2 years	
Frame Color	Gray	

WIRELESS PHOTOCELL MODULE



SKL – WPM – V1







- It is used in athletics races.
- It can be adjusted height of feet.
- It provides communication up to 1 km.

GENERAL FEATURES

• The charging status can be monitored instantly.





TECHNICAL PARAMETERS		
Total Weight	3.4 kg	
Average Power Consumption	1.8 W	
Maximum Power Consumption	2.5 W	
Operating Voltage	16.8 V	
Operating Temperature	(-40°C) - (+55°C)	
Protection Class	IP54	
Type Of Material	Al	
Guarantee Duration	2 years	

ATHLETICS NUMERIC SCOREBOARD



SKL - ANS - V1







- It is used in athletics races.
- It can work wired or wireless.
- It has a 12 V power input.
- It can show the instantaneous time and door passage times.
- The scoreboard can be produced according to 20,25,30,35 or 40 cm display heights, if desired.



TECHNICAL PARAMETERS		
Height	300 mm	
Width	1000 mm	
Thickness	85 mm	
Weight	5 kg	
Display Height	20 cm	
Operating Voltage	100 – 120V	
	200 – 240V	
Operating Temperature	(-40°C) - (+55°C)	
Protection Class	IP54	
Type Of Material	Al	
Guarantee Duration	2 years	
Frame Color	Mat Black	

ATHLETICS GRAPHICS SCOREBOARD



SKL – AGS – V1







- It is used in athletics races.
- It can work wired or wireless.
- It can show the instantaneous time and door passage times.
- Athlete name and score can be displayed on the scoreboard.



TECHNICAL PARAMETERS		
Height	480 mm	
Width	1280 mm	
Thickness	85 mm	
Weight	16.3 kg	
Average Power Consumption	65 W	
Maximum Power Consumption	90 W	
Operating Voltage	100 – 120V	
	200 – 240V	
Operating Temperature	(-40°C) – (+55°C)	
Protection Class	IP54	
Type Of Material	Al	
Guarantee Duration	2 years	
Frame Color	Mat Black	